

**Amendment to the Claims**

**In the Claims:**

**BEST AVAILABLE COPY**

Please cancel Claims 19 and 31.

Please amend Claims 1, 2, 6, 20, and 35 as follows:

1. (Currently Amended) A method for facilitating automated sale of softgoods, comprising the steps of:

(a) providing a creator program to a creator of the softgoods that automatically includes a unique identifier in each softgood before the softgood is distributed to prospective purchasers, said unique identifier specifically referencing the creator of the softgoods, the creator program producing softgoods that require the use of a ~~specific~~ proprietary player program to enable playback of softgoods authored with the creator program, the ~~specific~~ proprietary player program being configured to determine if the softgood is registered on the computing device on which the ~~specific~~ proprietary player program is installed before enabling playback of a softgood that was produced by the creator program, so that if a softgood is not registered on the computing device on which the ~~specific~~ proprietary player program is installed, the ~~specific~~ proprietary player program enables playback of said softgood in a demo mode, and if the softgood is registered on the computing device on which the ~~specific~~ proprietary player program is installed, the ~~specific~~ proprietary player program enables playback of said softgood in a full mode, wherein registration of the softgood is implemented by creating a registration value that is accessible by the computing device, a different registration value being created for each softgood registered on the computing device;

(b) distributing the softgoods and the ~~specific~~ proprietary player program to prospective purchasers, such that the distribution is not limited to a distribution over private networks; and

(c) providing an agency having a server that implements softgood purchase transactions and maintains a database in which data relating to the sale of softgoods are stored, unique identifiers of the softgoods being referenced in the database to track the softgood purchase transactions, such that for softgoods that are purchased, the database maintains data relating to purchasers of the softgoods for as long as the agency is managing purchases of the softgoods, said agency responding to a purchase of a softgood by transmitting the registration value identifying the softgood that was purchased to a first computing device used to initiate the purchase, so that a first

After-Final Amendment NOT Entered

1 copy of the ~~specific~~ proprietary player program installed on the first computing device will recognize  
2 that the softgood that was purchased is registered on the first computing device and thus enable  
3 playback of the softgood that was purchased in the full mode, whereas a second copy of the ~~specific~~  
4 proprietary player program installed on a different computing device does not enable playback of the  
5 softgood that was purchased in the full mode, unless the registration value for the softgood that was  
6 purchased is provided to the different computing device, thereby registering the softgood that was  
7 purchased on the different computing device.

8 2. (Currently Amended) The method of Claim 1, wherein the unique identifier for each  
9 softgood also references a unique identifier for the creator program provided to the creator and used  
10 to create the ~~unencrypted~~ softgood, the unique identifier distinguishing the specific copy of the  
11 creator program used by the creator from all other copies of the creator program.

12 3. (Previously Presented) The method of Claim 1, wherein the creator program automatically  
13 communicates the unique identifier for the softgood over a network to the server for storage in the  
14 database.

15 4. (Original) The method of Claim 1, wherein the unique identifier of the softgood is  
16 communicated to the agency for storage in the database by the server during the purchase transaction  
17 for said softgood.

18 5. (Original) The method of Claim 1, further comprising the step of automatically including  
19 a base price within each softgood prior to the step of distributing the softgoods.

20 6. (Currently Amended) The method of Claim 1, wherein the registration value for the  
21 purchased softgood transmitted by the agency includes an identity of the purchaser, so that the  
22 registration value for the softgood that was purchased cannot be registered on an additional  
23 computing device to enable a copy of the ~~specific~~ proprietary player program installed on the  
24 additional computing device to playback the softgood in the full mode, unless the purchaser is  
25 identified as an authorized user of the additional computing device.

26 7. (Original) The method of Claim 1, wherein the unique identifier for a softgood is  
27 communicated to the agency and entered into the database when the softgood is first purchased.

28 8. (Previously Presented) A method for facilitating purchase of a softgood that is freely  
29 distributed to prospective purchasers for preview within a player program and which includes a unique  
30 identifier that is assigned to the softgood before the softgood is distributed, comprising the steps of:

1 (a) enabling prospective purchasers to preview the softgood with the player program  
2 to a limited extent, prior to deciding to purchase the softgood, wherein during such preview, a prospective  
3 purchaser possesses a complete copy of the softgood, regardless of how the softgood was obtained, but  
4 the player program controls access to the softgood and allows the prospective purchaser only limited  
5 access to the softgood, the player program being configured to determine if the softgood is registered  
6 on the computing device on which the player program is installed before enabling playback of a  
7 softgood, so that if a softgood is not registered on the computing device on which the player program  
8 is installed, the player program enables playback of said softgood in a demo mode, and if the  
9 softgood is registered on the computing device on which the player program is installed, the player  
10 program enables playback of said softgood in a full mode, wherein registration of the softgood is  
11 implemented by creating a registration value that is accessible by the computing device;

12 (b) enabling purchase of the softgood from within the player program by  
13 connecting a computer on which the player program is executing with an e-commerce agency to  
14 initiate a network transaction, purchase of the softgood causing data related to the purchase to be  
15 recorded in the database of the e-commerce agency and causing a registration value that references  
16 the unique identifier to be transmitted to the computer on which the player program is executing, a  
17 different registration value being provided for each softgood that is purchased; and

18 (c) registering the softgood on the computer employed for the network transaction  
19 using the registration value provided by the e-commerce agency, each registration value received  
20 being added to a softgood registration file stored on the computer employed for the network  
21 transaction, registration of the softgood on the computer enabling the softgood to be played by the  
22 player program beyond the limited extent of the preview, the program player thereafter allowing a  
23 purchaser who has thus purchased the softgood to fully access the softgood.

24 9. (Previously Presented) The method of Claim 8, further comprising the step of including at  
25 least one of an identification of a creator of the softgood, an identification of a specific copy of a  
26 software product used to produce the softgood, and a price in the softgood, prior to its distribution.

27 10. (Original) The method of Claim 8, further comprising the steps of using the player program  
28 to transmit an identification of a purchaser of the softgood to the e-commerce agency during the network  
29 transaction, to enable the e-commerce agency to debit a financial account of the purchaser for a purchase  
30 price of the softgood.

11. (Original) The method of Claim 10, wherein financial account numbers of purchasers of softgoods are stored in the database, a financial account number of a purchaser being used to debit an account of said purchaser as a result of the network transaction.

12. (Original) The method of Claim 8, wherein the step of registering comprises the step of modifying the softgood to include the registration value and recording the registration value in a file, said registration value referencing at least one of an identification of the player program, an identification of the user, and the unique identifier for the softgood.

13. (Original) The method of Claim 8, further comprising the step of including a prohibition of a purchaser modifying the softgood within the softgood.

14. (Original) The method of Claim 8, further comprising the step of registering each instance of the player program with a player identification in the database of the e-commerce agency.

15. (Original) The method of Claim 14, wherein the registration value comprises a combination of at least two of: the unique softgood identification, the player identification, and an identification of the purchaser of the softgood.

16. (Original) The method of Claim 8, wherein the softgood is not usable on the computer for more than a predefined number of times, unless registered on the computer.

17. (Original) The method of Claim 8, wherein the step of enabling prospective purchasers to preview the softgood comprises the step of permitting the softgood to be played with only a substantially reduced quality, unless registered on the computer.

18. (Original) The method of Claim 8, further comprising the step of sending a message over the network to advise a purchaser of the registration value that was used to register the softgood on the computer of the purchaser.

19. (Cancelled)

20. (Currently Amended) A method for controlling play of a softgood on a computer using a player program, said player program also being employed to purchase the softgood through a network transaction, comprising the steps of:

(a) enabling a user to preview the softgood on the computer within the player program, the player program being configured to determine if the unencrypted softgood is registered on the computer on which the player program is installed before enabling playback of a softgood, so that if a particular softgood is not registered on the computer on which the player program is

1 installed, the player program enables playback of the particular softgood in a demo mode, and if the  
2 particular softgood is registered on the computer on which the player program is installed, the player  
3 program enables playback of the particular softgood in a full mode, wherein the registration is  
4 implemented by providing a registration value, a different registration value being required for each  
5 softgood; and

6 (b) enabling the user to purchase the softgood through a transaction conducted  
7 from within the player program, such that after the user has purchased the softgood, the softgood is  
8 registered on the computer using a registration value provided during the transaction, said registration  
9 value being based in part on a unique identifier for the softgood provided by a software program used  
10 to create the softgood, each registration value received being added to a softgood registration file  
11 stored on the computer, registration of the softgood on the computer providing access to the softgood  
12 in accord with a license to the softgood so that it is thereafter playable on the computer with the  
13 player program beyond a preview limit.

14 21. (Previously Canceled)

15 22. (Previously Presented) The method of Claim 20, wherein if the softgood is transferred to  
16 a different computer after being purchased, the softgood must again be registered on the different  
17 computer to enable the softgood to be played beyond the preview limit on the different computer.

18 23. (Previously Presented) The method of Claim 20, wherein the registration value is further  
19 based on at least one of:

20 (a) name of the purchaser of the unencrypted softgood;

21 (b) a unique identifier for the player program; and

22 (c) an identifier for a creator of the softgood.

23 24. (Previously Presented) The method of Claim 20, wherein the step of enabling the user to  
24 purchase the softgood through a transaction conducted from within the player program comprises the  
25 steps of:

26 (a) confirming that a financial account number provided by a purchaser is valid  
27 and is approved for purchase of the softgood by checking the financial account number with an  
28 approval service during the transaction; and if the financial account number is valid and approved,

29 (b) transmitting the registration value to the purchaser; and if not,

30 (c) advising the purchaser that purchase of the softgood was disapproved.

1           25. (Previously Presented) The method of Claim 20, further comprising the step of  
2 maintaining a database on an e-commerce server in which an identification of each purchaser and a  
3 list of each softgood purchased by each purchaser are included, to facilitate distribution of at least a  
4 portion of the purchase price of the softgood to a creator of the softgood, and to store the registration  
5 value so that the purchaser can again reregister the softgood on a computer if the registration of the  
6 softgood on the computer is lost.

7           26. (Original) The method of Claim 25, wherein data stored in the database also includes a  
8 financial account number for each purchaser of softgoods, said financial account numbers being  
9 provided by the purchasers, further comprising the step of charging the financial account referenced  
10 by the financial account number of a purchaser during the transaction.

11           27. (Original) The method of Claim 26, further comprising the step of encrypting the  
12 financial account number for transmittal over the network to the database.

13           28. (Original) The method of Claim 27, wherein the player program is used to encrypt the  
14 communication for transmission over the network during the transaction.

15           29. (Original) The method of Claim 25, wherein the database also includes a current price  
16 for each softgood, further comprising the step of advising a purchaser of the current price of the  
17 softgood being purchased during the transaction.

18           30. (Original) The method of Claim 21, further comprising the step of employing the player  
19 program to transmit information over a network to an e-commerce agency to implement purchase of a  
20 softgood, using a secure communication protocol.

21           31. (Cancelled)

22           32. (Previously Presented) A system for facilitating purchase of a softgood of which copies  
23 are freely distributed to prospective purchasers for preview prior to purchase, said softgood having a  
24 unique identifier that is included within the softgood before its distribution, comprising:

25               (a) a purchaser computer that includes a first processor, a first memory in which a  
26 plurality of machine instructions are stored that implement a plurality of functions when executed by  
27 the processor, a first network interface coupling the computer in communication with a network, at  
28 least one user interface for input of data to the memory, and a display on which graphics and text are  
29 displayed;

30

1 (b) a remote computer that includes a second processor, a second memory in  
2 which are stored a plurality of machine instructions that implement a plurality of functions when  
3 executed by the second processor, and in which a database containing data relating to purchases of  
4 softgoods are stored, a second network interface coupling the remote computer in communication  
5 with the network and thereby selectively coupling the remote computer in data communication with  
6 the purchaser computer via the network;

7 (c) a softgood comprising machine instructions or media data that are loaded into  
8 the first memory of the purchaser computer, the softgood not including any copy protection that  
9 prohibits the softgood from being freely copied and freely distributed, other of the machine  
10 instructions stored in the first memory comprising a player program that uses the softgood, said  
11 player program carrying out a plurality of the functions when the machine instructions of the player  
12 program are executed by the first processor, including:

13 (i) enabling the softgood to be previewed to a limited extent prior to the  
14 user purchasing the softgood;

15 (ii) enabling the user to purchase the softgood in a transaction with the  
16 remote computer that is conducted over the network;

17 (iii) registering the softgood on the purchaser computer after the softgood  
18 has been purchased, said softgood being thus registered using a registration value provided by the  
19 remote computer, each registration value received being added to a registration file stored on the  
20 purchaser computer; and

21 (iv) checking for a registration of the softgood on the purchaser computer and  
22 enabling the softgood to be used by the player program beyond the limited extent of the preview only if  
23 the softgood is determined to be registered on the purchaser computer; and

24 (d) wherein said plurality of functions implemented by said second processor in  
25 the remote computer include:

26 (i) responding to a request to purchase the softgood received over the  
27 network from the purchaser computer;

28 (ii) confirming an approval of a credit purchase by the user of the  
29 purchaser computer with a credit approval agency that is coupled to the network;  
30

1 (iii) determining the registration value as a function of at least the unique  
2 identifier of the softgood and sending the registration value to the purchaser computer over the  
3 network to register the softgood on the purchaser's computer, each registration value received being  
4 added to the registration file stored on the purchaser computer, and

5 (iv) allocating a portion of a purchase price of the softgood set by terms of a  
6 prior agreement to a creator of the softgood.

7 33. (Original) The system of Claim 32, wherein the plurality of functions implemented by  
8 the second processor include:

9 (a) checking the data stored in the database to determine if data for the user  
10 purchasing a softgood are already included within the database; and if so,

11 (b) using a financial account number included in the data for implementing the  
12 purchase of the softgood; and

13 (c) storing the unique identifier for the softgood purchased in association with the  
14 user, within the data of the database.

15 34. (Original) The system of Claim 32, wherein the registration value is further based on at least  
16 one of:

17 (a) a user identifier that identifies the purchaser of the softgood;

18 (b) an identifier for the creator of the softgood;

19 (c) a unique identification for the player program; and

20 (d) an identification of the purchaser of the softgood.

21 35. (Currently Amended) A system for facilitating automated sale of softgoods from which a  
22 revenue stream is returned to each creator of the softgoods, each softgood including a unique identifier,  
23 comprising:

24 (a) creator computers that execute at least one software program used by creators  
25 of the softgoods to produce the softgoods and to assign the unique identifier to the softgoods  
26 produced thereby, said creator computers including network interfaces that couple the creator  
27 computers to a publicly accessible network, the creators of the softgoods entering into agreements  
28 with an e-commerce agency in which the e-commerce agency agrees to facilitate the automated sale  
29 of the softgoods and to return a portion of the revenue stream from the automated sale to the creators  
30 of the softgoods; and



(b) a server computer operated by the e-commerce agency, said server computer maintaining a database in which data relating to the softgoods are stored, said data including unique identifiers for the softgoods, said server computer also including a network interface coupling the server computer in communication with the publicly accessible network and being configured to receive the unique identifier for each softgood from each of:

(i) the creator computers before distribution of the softgood to prospective purchasers; and

(ii) a user of the softgood at a sale of the softgood, a purchase of a softgood being initiated when a softgood is being used, said purchase by a user of the softgood causing the server computer to confirm approval of a credit transaction for the user by an on-line communication with a credit approval agency, and if the credit transaction is approved, to transmit a registration value over the publicly accessible network to a computer of the user to register the softgood on the computer of the user, and to enter data related to the purchase within the database, each registration value received being added to the computer of the user, a presence of a registration value corresponding to a specific unencrypted softgood enabling playback of the specific unencrypted softgood in a full mode, an absence of a registration value corresponding to the specific unencrypted softgood enabling playback of the unencrypted softgood only in a demo mode.

36. (Original) The system of Claim 35, wherein the registration value is based upon at least one of the user's name, the unique identifier for the softgood, an identifier for the creator of the softgood, and a unique identification of a player program that is executed on the computer of the user to play the softgood.

37. (Previously Presented) The system of Claim 35, wherein each of the softgoods includes at least one of an identification of a specific copy of the software program used to produce the softgood, an identification of the creator of the softgood, and a price of the softgood.

38. (Original) The system of Claim 35, wherein the server computer sends a current price to the user before the purchase is completed, said current price being stored in the data of the database.

39. (Previously Presented) The system of Claim 35, wherein the softgood enables the user to purchase the softgood while the softgood is being executed on the computer of the user.

1           40. (Original) The system of Claim 35, wherein a player program that is used to play the  
2 softgood communicates with the server computer over the network to facilitate the purchase of the  
3 softgood.

4           41. (Original) The system of Claim 35, wherein a preview of the softgood to a limited extent  
5 is permitted on the computer of the user before the softgood is purchased, and once the softgood is  
6 registered on the computer of the user using the registration value, use of the softgood on the  
7 computer of the user is permitted to an extent determined by a license of the softgood.

8           42. (Previously Cancelled)

9           43. (Previously Cancelled)

10          44. (Previously Cancelled)

11          45. (Previously Presented) A method for facilitating automated sale of softgoods, comprising  
12 the steps of:

13           (a) providing to a creator of the softgoods a composer program that automatically  
14 includes a unique identifier in each softgood before the softgood is distributed to prospective  
15 purchasers, said unique identifier specifically referencing the creator of the softgoods, such that  
16 softgoods created using the composer program:

17               (i) require a specific player program to be accessed; and  
18               (ii) do not include any copy protection that prohibits the softgood from  
19 being freely copied and freely distributed;

20           (b) providing an agency that implements softgood purchase transactions and  
21 maintains a database in which data relating to the sale of softgoods are stored, unique identifiers of  
22 the softgoods being referenced in the database to track the softgood purchase transactions, such that  
23 whenever a softgood is purchased, the agency provides a registration value corresponding to the unique  
24 identifier for the softgood purchased to a computing system used to purchase the softgood;

25           (c) providing the specific player program to prospective purchasers, such that each  
26 time the specific player program is used to play a softgood created using the composer program, the  
27 specific player program automatically:

28               (i) checks the computing system on which the specific player program is  
29 executing, to determine if a registration value corresponding to the unique identifier for the softgood has  
30 been provided to said computing system to register the softgood on the computing system, and if so, plays

the softgood, providing access to its full range of benefits; but

(ii) if the registration value has not been provided to the computing system, only enables playing of the softgood in a preview mode, and prompts a user to purchase the softgood in a transaction with the agency; and

(d) distributing the softgoods to prospective purchasers, such distribution not being limited to distribution over a private network.

46. (Previously Presented) The method of Claim 45, wherein if the registration value has not been provided to the computing system, the specific player program automatically communicates with the agency to determine if the unique identifier for the softgood is associated with a purchase of the softgood made by a purchaser who is an authorized user of the computing system on which the specific player program is resident, and if so, plays the softgood with its full range of benefits.

47. (Previously Presented) A system for facilitating purchase of a softgood of which copies are freely distributed to prospective purchasers for preview prior to purchase, said softgood having a unique identifier that is included within the softgood before its distribution, comprising:

(a) a purchaser computer that includes a first processor coupled to a first memory in which a plurality of machine instructions are stored that implement a plurality of functions when executed by the first processor, a first network interface coupling the purchaser computer in communication with a network, at least one user interface for input of data to the first memory, and a display on which graphics and text are displayed;

(b) a remote computer that includes a second processor coupled to a second memory in which are stored a plurality of machine instructions that implement a plurality of functions when executed by the second processor, and in which a database containing data relating to purchases of softgoods are stored, a second network interface coupling the remote computer in communication with the network and thereby selectively coupling the remote computer in data communication with the purchaser computer via the network;

(c) the softgood comprising machine instructions or media data that are loaded into the first memory of the purchaser computer and not including any copy protection that prohibits the softgood from being freely copied and freely distributed, wherein other of the machine instructions stored in the first memory comprise a player program that uses the softgood, said player

1 program causing the first processor to carry out a plurality of the functions when the machine  
2 instructions of the player program are executed by the first processor, including:

3 (i) determining if a registration value corresponding to the unique  
4 identifier of the softgood that is to be played has been provided to the purchaser computer, and if so,  
5 playing the softgood so as to provide access to its full range of benefits;

6 (ii) if a registration value corresponding to the unique identifier of the  
7 softgood that is to be played has not been provided to the purchaser computer, communicating with  
8 the database on the remote computer over the network to determine if an authorized user of the  
9 purchaser computer has previously purchased the softgood that is to be played, and if so, playing the  
10 softgood so as to provide access to its full range of benefits; and

11 (iii) if a registration value corresponding to the unique identifier of a  
12 softgood that is to be played has not been provided to purchaser computer on which the player  
13 program is resident, and if no authorized user of the purchaser computer has previously purchased the  
14 softgood that is to be played, playing the softgood so as to provide a limited access, to enable a preview  
15 of the softgood, and enabling a user of the purchaser computer to purchase the softgood in a  
16 transaction with the remote computer that is conducted over the network, such that when a softgood  
17 is purchased, a registration value corresponding to the unique identifier of a softgood is received with  
18 the softgood; and

19 (d) wherein said plurality of functions implemented by said second processor in  
20 the remote computer include:

21 (i) responding to a request to purchase the softgood received over the  
22 network from the purchaser computer;

23 (ii) confirming an approval of a credit purchase by the user of the  
24 purchaser computer with a credit approval agency that is coupled to the network;

25 (iii) determining the registration value as a function of at least the unique  
26 identifier of the softgood;

27 (iv) sending the registration value to the remote computer over the network  
28 to register the softgood on the purchaser's computer; and

29 (v) allocating a portion of a purchase price of the softgood set by terms of a  
30 prior agreement to a creator of the softgood.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

48. (Previously Presented) The method of Claim 45, wherein the softgood is not encrypted.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**